Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Original) A disposable absorbent article comprising:
- a) a chassis having a front region, a back region and a crotch region, said crotch region connecting said front region to said back region, said front and back regions being secured together to form an absorbent article having a waist opening, a pair of leg openings each having a circumference, and two side panels each located between said waist opening and one of said pair of leg openings;
 - b) an absorbent positioned in at least a portion of said crotch region; and
- c) a removable portion formed in at least a portion of one of said side panels which intersects a portion of the circumference of each of said leg openings and enables a portion of one of said side panels to be removed to customize the fit of said absorbent article to a user's anatomy.
- 2. (Original) The disposable absorbent article of claim 1 wherein said removable portion is joined to one of said side panels by a tear.line.
- (Original) The disposable absorbent article of claim 2 wherein said tear line has an arcuate configuration.
- (Original) The disposable absorbent article of claim 2 wherein said tear line is a perforation line.
- 5. (Original) The disposable absorbent article of claim 1 wherein said removable portion extends from said front region adjacent to one of said pair of leg openings to said back region and terminates adjacent to said same leg opening.

- (Original) The disposable absorbent article of claim 1 wherein there is at least one removable portion present in each of said side panels and each of said removable portions is joined to one of said side panels by a tear line.
- 7. (Original) The disposable absorbent article of claim 1 wherein there are at least two removable portions present in each of said side panels.
- (Original) The disposable absorbent article of claim 7 wherein each of said removable portions in each of said side panels has a different surface area.
- (Original) The disposable absorbent article of claim 7 wherein each of said removable portions is joined to one of said side panels by a tear line and said tear line aligned closest to one of said leg openings in each of said side panels has a predetermined length and said tear line aligned farther away from said leg opening has a longer length.
 - (Withdrawn) A disposable absorbent article comprising:
- a) a chassis having a front region, a back region and a crotch region, said crotch region. connecting said front region to said back region, said front and back regions being secured together by a pair of side seams to form an absorbent article having a waist opening, a pair of leg openings each having a circumference, and two side panels each located between said waist opening and one of said pair of leg openings;
 - b) an absorbent positioned in at least a portion of said crotch region; and
- c) at least one removable portion formed in at least a portion of each of said side panels, each removable portion extending from a point on the circumference of one of said pair of leg openings to said respective side seam, and each removable portion enabling a portion of each of said side panels to be removed to customize the fit of said absorbent article to a user's anatomy.
- 11. (Withdrawn) The disposable absorbent article of claim 10 wherein each of said removable portions is joined to one of said side panels by a tear line.

- 12. (Withdrawn) The disposable absorbent article of claim 11 wherein elastic strands surround at least a portion of each of said pair of leg openings and said removable portion positioned adjacent to each of said leg openings has a tear line that extends through said elastic strands.
- 13. (Withdrawn) The disposable absorbent article of claim 10 wherein at least two removable portions are formed in at least a portion of each of said side panels and said removable portion located closest to one of said leg openings in each of said side panels has a smaller surface area than said removable portion located farther away from one of said leg openings.
- 14. (Withdrawn) The disposable absorbent article of claim 10 wherein said removable portions are void of said absorbent.
- 15. (Withdrawn) The disposable absorbent article of claim 10 wherein there are at least three removable portions present in each of said side panels.
 - 16. (Withdrawn) A disposable absorbent article comprising:
- a) a chassis having a front region, a back region and a crotch region, said crotch region connecting said front region to said back region, said front and back regions being secured together by a pair of side seams to form an absorbent article having a waist opening, a pair of leg openings each having a circumference, and two side panels each located between said waist opening and one of said pair of leg openings;
 - b) an absorbent positioned in at least a portion of said crotch region; and
- c) at least three removable portions formed in at least a portion of each of said side panels, each removable portion extending from a point on the circumference of one of said pair of leg openings across one of said side seams and terminating at a spaced apart location on said same leg opening, and each removable portion enabling a portion of each of said side panels to be removed to customize the fit of said absorbent article to a user's anatomy.
- 17. (Withdrawn) The disposable absorbent article of claim 16 wherein each of said removable portions is joined to one of said side panels by a tear line.

- 18. (Withdrawn) The disposable absorbent article of claim 17 wherein each of said tear lines has a semi-circular configuration.
- 19. (Withdrawn) The disposable absorbent article of claim 16 wherein each of said removable portions formed in each of said side panels has a different surface area.
- 20. (Withdrawn) The disposable absorbent article of claim 16 wherein said removable portion located closest to one of said leg openings has a smaller surface area than each of said other removable portions located farther away from said leg opening.